



Pilot Sport A/S Plus



Performance Category:
[Ultra High Performance All-Season](#)

ALL OTHER SIZES FOR THIS TIRE

Size Service Description Load Range	UTQG	Max Load	Max. Inflation Press..	Tread Depth	Tire Weight	Rim Width Range	Meas. Rim Width	Sect. Width	Tread Width	Overall Diam.	Revs Per Mile	Country of Origin*
205/55ZR16 91Y SL	500 AA A	1356 lbs.	51 psi	10/32"	24 lbs.	5.5-7.5"	6.5"	8.4"	NA	24.9"	836	US
215/55ZR16 93W SL	500 AA A	1433 lbs.	51 psi	10/32"	24 lbs.	6-7.5"	7"	8.9"	7.5"	25.3"	823	US
225/50ZR16 92Y SL	500 AA A	1389 lbs.	51 psi	10/32"	25 lbs.	6-8"	7"	9.2"	NA	24.9"	836	US
225/55ZR16 95W SL	500 AA A	1521 lbs.	51 psi	10/32"	25 lbs.	6-8"	7"	9.2"	7.2"	25.8"	808	US
225/60ZR16 98W SL	500 AA A	1653 lbs.	51 psi	10/32"	27 lbs.	6-8"	6.5"	9"	7.6"	26.6"	782	US
245/50ZR16 97W SL	500 AA A	1609 lbs.	51 psi	10/32"	27 lbs.	7-8.5"	7.5"	10"	8"	25.7"	810	US
205/45ZR17 88Y XL	500 AA A	1235 lbs.	50 psi	10/32"	22 lbs.	6.5-7.5"	7"	8.1"	6.8"	24.3"	858	US
205/50ZR17 89Y SL	500 AA A	1279 lbs.	51 psi	10/32"	23 lbs.	5.5-7.5"	6.5"	8.4"	NA	25"	828	US
215/45ZR17 91W XL	500 AA A	1356 lbs.	50 psi		22 lbs.	0-0"			7"	NA		US
225/45ZR17 91Y SL	500 AA A	1356 lbs.	51 psi	10/32"	24 lbs.	7-8.5"	7.5"	8.9"	NA	25"	833	US
225/50ZR17 94W SL	500 AA A	1477 lbs.	51 psi	10/32"	24 lbs.	6-8"	7"	9.2"	NA	26"	803	US
225/55ZR17 97W SL	500 AA A	1609 lbs.	51 psi	10/32"	27 lbs.	6-8"	7"	9.2"	NA	26.8"	777	US
235/45ZR17 94Y SL	500 AA A	1477 lbs.	51 psi	10/32"	24 lbs.	7.5-9"	8"	9.3"	NA	25.4"	821	US
235/50ZR17 96W SL	500 AA A	1565 lbs.	51 psi	10/32"	28 lbs.	6.5-8.5"	7.5"	9.7"	NA	26.3"	791	US
235/55ZR17 99W SL	500 AA A	1709 lbs.	51 psi	10/32"	27 lbs.	6.5-8.5"	7.5"	9.7"	NA	27.2"	766	US
245/40ZR17 91Y SL	500 AA A	1356 lbs.	51 psi	10/32"	26 lbs.	8-9.5"	8.5"	9.8"	NA	24.7"	841	US
245/45ZR17 95Y SL	500 AA A	1521 lbs.	51 psi	10/32"	27 lbs.	7.5-9"	8"	9.6"	NA	25.7"	810	US
245/50ZR17 99W SL	500 AA A	1709 lbs.	51 psi	10/32"	27 lbs.	7-8.5"	7.5"	10"	8.2"	26.7"	779	US

Tire Specs for Michelin Pilot Sport A/S ...

255/40ZR17 94Y SL	<u>500 AA A</u>	1477 lbs.	51 psi	10/32"	26 lbs.	8.5-10"	9"	10.2"	NA	25"	831	US
255/45ZR17 98Y SL	<u>500 AA A</u>	1653 lbs.	51 psi	10/32"	27 lbs.	8-9.5"	8.5"	10"	8.5"	26.1"	798	US
275/40ZR17 98Y SL	<u>500 AA A</u>	1653 lbs.	51 psi	10/32"	29 lbs.	9-11"	9.5"	10.9"	NA	25.7"	810	US
285/40ZR17 100Y SL	<u>500 AA A</u>	1764 lbs.	51 psi	10/32"	29 lbs.	9.5-11"	10"	11.4"	NA	26"	801	US
225/40ZR18 92Y XL	<u>500 AA A</u>	1389 lbs.	50 psi	10/32"	24 lbs.	7.5-9"	8"	9.1"	NA	25.1"	829	US
225/45ZR18 95Y XL	<u>500 AA A</u>	1521 lbs.	50 psi	10/32"	24 lbs.	7-8.5"	7.5"	8.9"	NA	25.9"	802	US
235/40ZR18 91Y SL	<u>500 AA A</u>	1356 lbs.	51 psi	10/32"	24 lbs.	8-9.5"	8.5"	9.5"	NA	25.4"	819	US
235/45ZR18 98Y XL	<u>500 AA A</u>	1653 lbs.	51 psi	10/32"	26 lbs.	7.5-9"	8"	9.3"	NA	26.3"	790	US
235/50ZR18 97Y SL	<u>500 AA A</u>	1609 lbs.	51 psi	10/32"	28 lbs.	6.5-8.5"	7.5"	9.7"	NA	27.3"	762	US
245/40ZR18 93Y SL	<u>500 AA A</u>	1433 lbs.	51 psi	10/32"	27 lbs.	8-9.5"	8.5"	9.8"	NA	25.7"	809	US
245/45ZR18 96Y SL	<u>500 AA A</u>	1565 lbs.	51 psi	10/32"	27 lbs.	0-0"			NA	NA		US
255/35ZR18 94Y XL	<u>500 AA A</u>	1477 lbs.	50 psi	10/32"	25 lbs.	8.5-10"	9"	10.2"	NA	25"	832	US
255/40ZR18 95Y SL	<u>500 AA A</u>	1521 lbs.	51 psi	10/32"	27 lbs.	8.5-10"	9"	10.2"	NA	26"	799	US
255/45ZR18 99Y SL	<u>500 AA A</u>	1709 lbs.	51 psi	10/32"	28 lbs.	8-9.5"	8.5"	10"	NA	27.1"	769	US
265/35ZR18 97Y XL	<u>500 AA A</u>	1609 lbs.	50 psi	10/32"	26 lbs.	9-10.5"	9.5"	10.7"	NA	25.3"	822	US
275/35ZR18 95Y SL	<u>500 AA A</u>	1521 lbs.	51 psi	10/32"	28 lbs.	9-11"	9.5"	10.9"	NA	25.6"	814	US
275/40ZR18 99Y SL	<u>500 AA A</u>	1709 lbs.	51 psi	10/32"	30 lbs.	9-11"	9.5"	10.9"	NA	26.7"	780	US
285/30ZR18 97Y XL	<u>500 AA A</u>	1609 lbs.	50 psi	10/32"	28 lbs.	9.5-10.5"	10"	11.4"	NA	24.7"	840	US
285/35ZR18 97Y SL	<u>500 AA A</u>	1609 lbs.	51 psi	10/32"	28 lbs.	9.5-11"	10"	11.4"	NA	25.9"	804	US
225/40ZR19 93Y XL	<u>500 AA A</u>	1433 lbs.	50 psi	10/32"	25 lbs.	7.5-9"	8"	9.1"	7.1"	26.1"	797	US
235/35ZR19 91Y XL	<u>500 AA A</u>	1356 lbs.	50 psi	10/32"	25 lbs.	8-9.5"	8.5"	9.5"	NA	25.5"	817	US
245/35ZR19 93Y XL	<u>500 AA A</u>	1433 lbs.	50 psi	10/32"	26 lbs.	8-9.5"	8.5"	9.8"	8.7"	25.8"	807	US
245/40ZR19 94Y SL	<u>500 AA A</u>	1477 lbs.	51 psi	10/32"	27 lbs.	8-9.5"	8.5"	9.7"	NA	26.7"	778	US
245/45ZR19 98Y SL	<u>500 AA A</u>	1653 lbs.	51 psi	10/32"	29 lbs.	7.5-9"	8"	9.6"	NA	27.7"	751	US
255/35ZR19 96Y XL	<u>500 AA A</u>	1565 lbs.	50 psi	10/32"	26 lbs.	8.5-10"	9"	10.2"	8.2"	26"	799	US
255/40ZR19 96Y SL	<u>500 AA A</u>	1565 lbs.	51 psi	10/32"	28 lbs.	8.5-10"	9"	10.2"	NA	27.1"	769	US
275/30ZR19 96Y XL	<u>500 AA A</u>	1565 lbs.	50 psi	10/32"	29 lbs.	9-10"	9.5"	10.9"	10.3"	25.6"	814	US
275/35ZR19 96Y SL	<u>500 AA A</u>	1565 lbs.	51 psi	10/32"	29 lbs.	9-11"	9.5"	10.9"	NA	26.6"	783	US
275/40ZR19 101Y SL	<u>500 AA A</u>	1819 lbs.	51 psi	10/32"	32 lbs.	9-11"	9.5"	10.9"	NA	27.7"	751	US
285/30ZR19	<u>500 AA A</u>	1653 lbs.	50 psi	10/32"	28 lbs.	9.5-10.5"	10"	11.4"	9"	25.8"	807	US

Tire Specs for Michelin Pilot Sport A/S ...

98Y XL -----												---
245/30ZR20 90Y XL -----	500 AA A -----	1323 lbs.	50 psi	10/32"	25 lbs.	8-9"	8.5"	9.8"	8"	25.8"	805	US ---
245/35ZR20 95Y XL -----	500 AA A -----	1521 lbs.	50 psi	10/32"	26 lbs.	8-9.5"	8.5"	9.8"	8.2"	26.8"	777	US ---
245/40ZR20 95Y SL -----	500 AA A -----	1521 lbs.	51 psi	10/32"	28 lbs.	8-9.5"	8.5"	9.8"	NA	27.7"	750	US ---
255/30ZR20 92Y XL -----	500 AA A -----	1389 lbs.	50 psi	10/32"	26 lbs.	8.5-9.5"	9"	10.2"	9"	26.1"	798	US ---
255/35ZR20 97Y XL -----	500 AA A -----	1609 lbs.	50 psi	10/32"	27 lbs.	8.5-10"	9"	10.2"	9.5"	27"	770	US ---
275/30ZR20 97Y XL -----	500 AA A -----	1609 lbs.	50 psi	10/32"	29 lbs.	9-10"	9.5"	10.9"	9"	26.5"	784	US ---
275/35ZR20 102Y XL -----	500 AA A -----	1874 lbs.	50 psi	10/32"	30 lbs.	9-11"	9.5"	10.9"	9"	27.6"	755	US ---
285/30ZR20 99Y XL -----	500 AA A -----	1709 lbs.	50 psi	10/32"	30 lbs.	9.5-10.5"	10"	11.4"	9.5"	26.8"	777	US ---
295/25ZR20 95Y XL -----	500 AA A -----	1521 lbs.	50 psi	10/32"	30 lbs.	10-11"	10.5"	11.9"	11.1"	25.8"	805	US ---
265/30ZR22 97Y XL -----	500 AA A -----	1609 lbs.	50 psi	10/32"	31 lbs.	9-10"	9.5"	10.7"	9.2"	28.3"	735	US ---
Size Service Description Load Range	UTQG	Max Load	Max. Inflation Press.	Tread Depth	Tire Weight	Rim Width Range	Meas. Rim Width	Sect. Width	Tread Width	Overall Diam.	Revs Per Mile	Country of Origin*