



 BACK

ADVAN SPORT

Tire Size	Part#	Load ID	UTQG Rating	Unit Weight (lbs)	Rim Width (inches)		Inflated Dimensions		Tread Width	Tread Depth 32/in	Loaded Dimensions		Max Load at Cold Inflation Pressure (lbs. @psi) Single	Type
					Meas.	Appr.	Overall Width (inches)	Overall Diameter (inches)			Static Radius (inches)	Rev/ Mile		
205/50ZR17 93Y	10102	RF	180/AA/A	22.53	6.5	5.5 - 7.5	8.4	25.1	7.0	10	11.7	828	1433@50	BW
205/55ZR17 91Y	10101	SL	180/AA/A	23.42	6.5	5.5 - 7.5	8.4	25.8	7.0	10	11.9	805	1356@51	BW
215/45ZR17 91Y	10170	RF	180/AA/A	22.52	7.0	7.0 - 8.0	8.5	24.5	7.7	10	11.4	847	1356@50	BW
225/45ZR17 94Y	10104	RF	180/AA/A	24.03	7.5	7.0 - 8.5	9.1	24.9	8.0	10	11.6	835	1477@50	BW
225/50ZR17 98Y	10172	RF	180/AA/A	24.90	7.0	6.0 - 8.0	9.3	25.8	7.8	10	11.9	804	1653@50	BW
225/55ZR17 101Y	10176	RF	180/AA/A	25.90	7.0	6.0 - 8.0	9.2	26.7	7.9	10	12.3	779	1819@50	BW
235/45ZR17 97Y	10106	RF	180/AA/A	24.25	8.0	7.5 - 9.0	9.5	25.3	8.4	10	11.7	822	1609@50	BW
235/50ZR17 96Y	10103	SL	180/AA/A	25.79	7.5	6.5 - 8.5	9.6	26.3	8.2	10	10.2	791	1565@51	BW
235/55ZR17 103Y	10175	RF	180/AA/A	27.00	7.5	6.5 - 8.5	9.8	27.1	8.2	10	12.4	767	1929@50	BW
245/40ZR17 91Y	10107	SL	180/AA/A	24.25	8.5	8.0 - 9.5	9.9	24.6	8.7	10	11.5	843	1356@51	BW
245/45ZR17 99Y	10173	RF	180/AA/A	22.50	8.0	7.5 - 9.0	9.6	25.5	8.4	10	11.8	814	1709@50	BW
255/40ZR17 94Y	10108	SL	180/AA/A	24.91	9.0	8.5 - 10.0	10.4	24.9	9.1	10	11.6	833	1477@51	BW
215/45ZR18 89Y	10109	SL	180/AA/A	21.61	7.0	7.0 - 8.0	8.5	25.6	7.7	10	12.0	810	1279@51	BW
225/40ZR18 92Y	10113	RF	180/AA/A	22.05	8.0	7.5 - 9.0	9.1	25.1	8.0	10	11.8	828	1389@50	BW
225/45ZR18 95Y	10328	RF	180/AA/A	22.50	7.5	7.0 - 8.5	9.0	25.9	8.0	10	12.1	802	1521@50	BW
225/50R18 95W	10337	SL	180/A/A	28.60	7.0	6.0-8.0	9.1	26.8	7.4	10	12.4	776	1521@51	BW
235/40ZR18 (91Y)	10333		180/AA/A	23.30	8.5	8.0-9.5	9.6	25.3	8.1	10	11.9	820	1356@51	BW
235/40ZR18 91Y	10322	SL	180/AA/A	24.91	8.5	8.0 - 9.5	9.8	25.3	8.1	10	11.9	820	1356@51	BW
235/40ZR18 95Y	10114	RF	180/AA/A	23.38	8.5	8.5 - 9.5	9.9	25.4	8.1	10	11.9	818	1521@50	BW
235/45ZR18 98Y	10394	XL	180/AA/A	24.30	8.0	7.5-9.0	9.4	26.4	7.9	10	12.3	786	1653@50	RBL
245/35ZR18 92Y	10119	RF	180/AA/A	22.93	8.5	8.0 - 9.5	9.8	24.7	8.9	10	11.6	840	1389@50	BW
245/40ZR18 97Y	10127	RF	180/AA/A	23.09	8.5	8.0 - 9.5	9.7	25.6	8.7	10	12.0	810	1609@50	BW
245/45ZR18 (100Y)	10111	RF	180/AA/A	26.01	8.0	7.5 - 9.0	9.7	26.7	8.7	10	12.4	779	1764@50	BW
245/45R18 96W	10338	SL	180/A/A	29.50	8.0	7.5-9.0	9.8	26.7	8.5	10	12.4	779	1565@51	BW
255/35ZR18 94Y	10120	RF	180/AA/A	23.81	9.0	8.5 - 10.0	10.3	24.9	9.2	10	11.7	833	1477@50	BW
255/40ZR18 (99Y)	10115	RF	180/AA/A	25.35	9.0	8.5 - 10.0	10.3	26.0	9.1	10	12.1	799	1709@50	BW
255/45ZR18 (103Y)	10112	RF	180/AA/A	27.56	8.5	8.0 - 9.5	9.1	27.0	9.1	10	12.5	769	1929@50	BW
255/55R18 109Y	10177	RF	280/AA/A	34.80	8.0	7.0 - 9.0	10.6	28.9	8.3	11	13.3	719	2271@50	BW
265/35ZR18 97Y	10121	RF	180/AA/A	24.25	9.5	9.0 - 10.5	10.7	25.4	9.7	10	11.9	818	1609@50	BW
265/40ZR18 (101Y)	10116	RF	180/AA/A	27.56	9.50	9.0 - 10.5	10.9	26.3	10.0	10	12.2	791	1819@50	BW
275/35ZR18 95Y	10122	SL	180/AA/A	26.34	9.5	9.0 - 11.0	11.0	25.5	10.0	10	11.9	814	1521@51	BW
275/40ZR18 (103Y)	10117	RF	180/AA/A	28.00	9.5	9.0 - 11.0	11.0	26.7	9.8	10	12.4	779	1929@50	BW
285/30ZR18 (97Y)	10124	RF	180/AA/A	26.24	10.0	9.5 - 10.5	11.4	24.8	10.3	10	11.6	839	1609@50	BW
285/35ZR18 (101Y)	10123	RF	180/AA/A	27.56	10.0	9.5 - 11.0	11.4	25.9	10.3	10	12.1	802	1819@50	BW
285/40ZR18 (101Y)	10118	SL	180/AA/A	29.32	10.0	9.5 - 11.0	11.6	26.9	10.1	10	12.5	772	1819@51	BW
295/30ZR18 (98Y)	10125	RF	180/AA/A	28.00	10.5	10.0 - 11.0	11.7	25.0	10.7	10	11.7	832	1653@50	BW

295/35ZR18 99Y	10324	SL	180/AA/A	31.97	10.5	10.0 - 11.5	12.2	26.1	11.0	10	12.1	797	1709@51	BW
295/35ZR18 (99Y)	10334		180/AA/A	29.50	10.5	10.0-11.5	12.5	26.1	11.0	10	12.1	797	1709@51	BW
315/30ZR18 (98Y)	10126	SL	180/AA/A	30.26	11.0	10.5 - 11.5	12.5	25.4	11.5	10	11.9	817	1653@51	BW
225/35ZR19 (88Y)	10169	RF	180/AA/A	23.09	8.0	7.5 - 9.0	9.2	25.2	8.1	10	11.9	826	1235@50	BW
225/40ZR19 (93Y)	10130	RF	180/AA/A	24.47	8.0	7.5 - 9.0	9.2	26.1	8.0	10	12.3	794	1433@50	BW
235/35ZR19 (91Y)	10134	RF	180/AA/A	23.59	8.5	8.0 - 9.5	9.5	25.5	8.5	10	12.0	815	1356@50	BW
235/35ZR19	10331	RF	180/AA/A	23.00	8.5	8.0 - 9.5	9.8	25.4	8.5	10	12.0	817	1356@50	BW
235/40ZR19 (92Y)	10174	SL	180/AA/A	25.63	8.5	8.0 - 9.5	9.6	26.3	8.3	10	12.4	790	1389@51	BW
235/45ZR19 (95Y)	10128	SL	180/AA/A	26.90	8.0	7.5 - 9.0	9.4	27.3	8.4	10	12.7	760	1521@51	BW
245/30ZR19 (89Y)	10140	RF	180/AA/A	23.15	8.5	8.0 - 9.0	9.8	24.8	8.9	10	11.8	836	1279@50	BW
245/35ZR19 (93Y)	10135	RF	180/AA/A	24.47	8.5	8.0 - 9.5	9.8	25.8	8.9	10	12.1	805	1433@50	BW
245/40ZR19 (98Y)	10131	RF	180/AA/A	26.46	8.5	8.0 - 9.5	9.8	26.7	8.7	10	12.5	778	1653@50	BW
245/45ZR19 (98Y)	10129	SL	180/AA/A	27.56	8.0	7.5 - 9.0	9.6	27.7	8.7	10	12.9	749	1653@51	BW
255/30ZR19	10332	RF	180/AA/A	26.50	9.0	8.5 - 9.5	10.4	25.1	9.2	10	11.9	828	1356@50	BW
255/30ZR19 (91Y)	10145	RF	180/AA/A	24.25	9.0	8.5 - 9.5	10.2	25.1	9.2	10	11.9	828	1356@50	BW
255/35ZR19 (96Y)	10136	RF	180/AA/A	26.46	9.0	8.5 - 10	10.1	26.1	9.3	10	12.3	797	1565@50	BW
255/40ZR19 (100Y)	10132	RF	180/AA/A	27.78	9.0	8.5 - 10.0	10.2	27.2	9.1	10	12.7	765	1764@50	BW
265/30ZR19 (93Y)	10141	RF	180/AA/A	25.13	9.5	9.0 - 10.0	10.7	25.4	9.6	10	12.0	819	1433@50	BW
265/35ZR19 (94Y)	10137	SL	180/AA/A	27.78	9.5	9.0 - 10.5	10.7	26.3	9.6	10	12.4	789	1477@51	BW
265/50R19 110Y	10339	RF	280/AA/A	38.50	8.5	8.5-10.5	10.9	29.9	9.4	11	13.9	694	2337@50	BW
275/30ZR19 (96Y)	10143	RF	180/AA/A	26.68	9.5	9.0 - 10.0	10.8	25.6	10.0	10	12.1	812	1565@50	BW
275/35ZR19 (100Y)	10138	RF	180/AA/A	29.19	9.5	9.0 - 11.0	11.0	26.5	10.1	10	12.4	784	1764@50	BW
275/40ZR19 (105Y)	10133	RF	180/AA/A	30.86	9.5	9.0 - 11.0	11.2	27.7	9.8	10	12.9	749	2039@50	BW
275/45R19 108Y XL	10191	RF	280/AA/A	35.05	9.0	8.5 - 10.5	10.8	28.8	10.2	10	13.3	721	2205@50	BW
285/30ZR19 (98Y)	10144	RF	180/AA/A	27.78	10	9.5 - 10.5	11.4	25.8	10.3	10	12.1	805	1653@50	BW
285/35ZR19 (99Y)	10139	SL	180/AA/A	29.10	9.5	9.0 - 11.0	11.0	26.5	10.1	10	12.4	784	1764@50	BW
295/30ZR19 (100Y)	10142	RF	180/AA/A	29.54	10.5	10.0 - 11.0	11.6	26.0	10.9	10	12.2	798	1764@50	BW
305/30ZR19 (102Y) XL	10146	RF	180/AA/A	30.64	11.0	10.5 - 11.5	12.7	26.1	11.4	10	12.3	794	1874@50	BW
315/25ZR19 (94Y)	10147	SL	180/AA/A	28.66	11.5	11.0 - 12.0	12.6	25.2	11.6	10	11.9	824	1477@51	BW
245/30ZR20 (90Y)	10149	RF	180/AA/A	24.25	8.5	8.0 - 9.0	9.6	25.9	9.0	10	12.3	802	1323@50	BW
245/35ZR20 (95Y)	10150	RF	180/AA/A	26.01	8.5	8.0 - 9.5	9.9	26.8	8.9	10	12.6	776	1521@50	BW
245/40ZR20 (99Y)	10148	RF	180/AA/A	28.07	8.5	8.0 - 9.5	9.8	27.8	8.7	10	13.0	748	1709@50	BW
255/30ZR20 (92Y)	10153	RF	180/AA/A	25.79	9.0	8.5 - 9.5	10.2	26.1	9.2	10	12.4	794	1389@50	BW
255/35ZR20 (97Y)	10151	RF	180/AA/A	27.78	9.0	8.5 - 10.0	10.3	27.0	9.3	10	12.7	768	1609@50	BW
255/35ZR20	10325	RF	180/AA/A	28.40	9.0	8.5 - 10.0	10.5	27.1	9.2	10	12.8	767	1609@50	BW
265/35ZR20 99Y	10321	RF	180/AA/A	29.54	9.5	9.0 - 10.5	10.9	27.4	10.0	10	12.9	758	1709@50	RBL
275/30ZR20 (97Y)	10154	RF	180/AA/A	28.22	9.5	9.0 - 10.0	10.9	26.5	10.0	10	12.5	783	1609@50	BW
275/35ZR20 (102Y)	10152	RF	180/AA/A	30.86	9.5	9.0 - 11.0	11.2	27.6	10.0	10	13.0	753	1874@50	BW
275/35ZR20	10326	RF	180/AA/A	31.70	9.5	9.0 - 11.0	11.1	27.6	10.0	10	13.0	751	1874@50	BW
275/35ZR20	10330	RF	180/AA/A	30.00	9.5	9.0 - 11.0	10.9	27.6	10.1	10	13	754	2039@50	BW
275/40R20 106Y XL	10192	RF	280/AA/A	35.71	9.5	9.0 - 11.0	11.0	28.7	10.3	11	13.4	723	2094@50	BW
275/45R20 110Y	10340	RF	280/AA/A	38.50	9.0	8.5-10.5	10.9	29.9	9.4	11	13.9	694	2337@50	BW
285/25ZR20 (93Y)	10157	RF	180/AA/A	27.12	10.5	10.5 ONLY	11.4	25.6	10.5	10	12.2	810	1433@50	BW
285/30ZR20 (99Y)	10155	RF	180/AA/A	29.36	10.0	9.5 - 10.5	11.3	26.8	10.5	10	12.6	776	1709@50	BW

295/25ZR20 (95Y)	10158	RF	180/AA/A	28.47	10.5	10.0 - 11.0	11.5	25.9	10.9	10	12.3	802	1521@50	BW
295/40ZR20 106Y	93214	SL	280/AA/A	37.70	10.5	10.0 - 11.5	11.9	29.4	10.8	10	13.7	705	2094@51	BW
305/25ZR20 (97Y)	10159	RF	180/AA/A	29.25	11.0	10.5 - 11.5	12.2	26.1	11.2	10	12.4	797	1609@50	BW
245/35ZR21 (96Y)	10160	RF	180/AA/A	24.82	8.5	8.0 - 9.5	9.8	27.9	8.9	10	13.2	745	1565@50	BW
255/30ZR21 (93Y)	10162	RF	180/AA/A	27.07	9.0	8.5 - 9.5	10.2	27.2	9.2	10	12.9	765	1433@50	BW
255/35ZR21 (98Y)	10161	RF	180/AA/A	28.88	9.0	8.5 - 10.0	10.2	28.2	9.2	10	13.3	737	1653@50	BW
285/30ZR21 (100Y)	10163	RF	180/AA/A	31.09	10	9.5 - 10.5	11.3	27.9	10.3	10	13.2	745	1764@50	BW
295/25ZR21 (96Y)	10165	RF	180/AA/A	29.54	10.0	10.0 - 11.0	11.6	26.9	10.9	10	12.8	772	1565@50	BW
295/30ZR21 (102Y)	10164	RF	180/AA/A	31.52	10.5	10.0 - 11.0	11.9	28.1	10.7	10	13.3	740	1874@50	BW
295/35ZR21 107Y	10193	RF	280/AA/A	32.63	10.50	10.0 - 11.5	11.7	29.0	10.6	11	13.6	717	2149@50	BW
255/30ZR22 (95Y)	10166	RF	180/AA/A	28.22	9.0	8.5 - 9.5	10.2	28.1	9.2	10	13.4	738	1521@50	BW
265/30ZR22 (97Y)	10167	RF	180/AA/A	28.88	9.0	9.0 - 10.0	11.1	28.4	9.6	10	13.5	732	1609@50	BW
295/25ZR22 (97Y)	10168	RF	180/AA/A	30.64	10.5	10.0 - 11.0	11.7	27.9	10.9	10	13.3	744	1609@50	BW

